



插拔式接线端子 Pluggable terminal block

附件一

护线盒	订货号	宽度	匹配型号
	MC-WG5.0-2	10mm	MC-RB5.08H02C
			MC-RB5.08H02C-K
			MC-RB5.08H02C-I
	MC-WG5.0-3	15mm	MC-RB5.08H02C
			MC-RB5.08H02C-K
			MC-RB5.08H02C-I


附件二

护线板	订货号	宽度	匹配型号	匹配通道数
	MC-GW5.08-9.9	9.9mm	MC-RB5.08HXXC	02-04
	MC-GW5.08-19.9	19.9mm	MC-RB5.08HXXC-K	05-08
	MC-GW5.08-39.9	39.9mm	MC-RB5.08HXXC-I	09-24


附件三

桥接件	订货号	匹配型号				
	MC-JP3.81-2	MC-RA3.81HXXC	MC-RE3.81VXXC	MC-RF3.81HXXP	MC-RJ3.81HXXP	MC-RAF3.81VXXC
	MC-JP3.81-3	MC-RA3.81HXXC-K	MC-RE3.81VXXC-K	MC-RF3.81HXXP-K	MC-RJ3.81HXXP-K	MC-RAF3.81VXXC-K
	MC-JP3.81-4	MC-RA3.81HXXC-I	MC-RE3.81VXXC-R	MC-RF3.81HXXP-I	MC-RJ3.81HXXP-I	MC-RAF3.81VXXC-I
	MC-JP3.81-5		MC-RE3.81VXXC-RK	MC-RF3.50HXXP-D		
	MC-JP3.81-6					


附件四

桥接件	订货号	匹配型号					
	MC-JP5.0-2	MC-RB5.0HXXC	MC-RB5.08HXXC	MC-RE5.0VXXC	MC-RE5.08VXXC	MC-RBF5.08VXXC	MC-RJ5.0HXXP
		MC-RB5.0HXXC-K	MC-RB5.08HXXC-K	MC-RE5.0VXXC-K	MC-RE5.08VXXC-K	MC-RBF5.08VXXC-K	MC-RJ5.0HXXP-K
	MC-JP5.0-3		MC-RB5.08HXXC-I	MC-RE5.0VXXC-R	MC-RE5.08VXXC-R	MC-RBF5.08VXXC-I	MC-RJ5.0HXXP-I
				MC-RE5.0VXXC-RK	MC-RE5.08VXXC-RK		
	MC-JP5.0-4	MC-RB5.0HXXC	MC-RB5.08HXXC	MC-RE5.0VXXC	MC-RE5.08VXXC	MC-RBF5.08VXXC	
	MC-JP5.0-5	MC-RB5.0HXXC-K	MC-RB5.08HXXC-K	MC-RE5.0VXXC-K	MC-RE5.08VXXC-K	MC-RBF5.08VXXC-K	
MC-JP5.0-6		MC-RB5.08HXXC-I	MC-RE5.0VXXC-R	MC-RE5.08VXXC-R	MC-RBF5.08VXXC-I		

附件五

防错插片	订货号	匹配型号					
	MC-R-MSTB	MC-RB5.0HXXC	MC-RB5.08HXXC	MC-RE5.0VXXC	MC-RE5.08VXXC	MC-RBF5.08VXXC	MC-RJ5.0HXXP
		MC-RB5.0HXXC-K	MC-RB5.08HXXC-K	MC-RE5.0VXXC-K	MC-RE5.08VXXC-K	MC-RBF5.08VXXC-K	MC-RJ5.0HXXP-K
			MC-RB5.08HXXC-I	MC-RE5.0VXXC-R	MC-RE5.08VXXC-R	MC-RBF5.08VXXC-I	MC-RJ5.0HXXP-I
				MC-RE5.0VXXC-RK	MC-RE5.08VXXC-RK		
		MC-RB5.0HXXC	MC-RB5.08HXXC	MC-RE5.0VXXC	MC-RE5.08VXXC	MC-RBF5.08VXXC	
		MC-RB5.0HXXC-K	MC-RB5.08HXXC-K	MC-RE5.0VXXC-K	MC-RE5.08VXXC-K	MC-RBF5.08VXXC-K	

附件六

防错挡块	订货号	匹配型号					
	MC-P-MSTB	MC-PA5.0HXX	MC-PA5.0VXX	MC-PA5.08HXX	MC-PA5.08VXX	MC-PB5.08HXXC	MC-PC5.08VXXC-B
		MC-PA5.0HXX-F	MC-PA5.0VXX-F	MC-PA5.08HXX-F	MC-PA5.08VXX-F	MC-PB5.08HXXC-F	MC-PC5.08VXXC-BF
		MC-PA5.0HXX-D	MC-PA5.0VXX-D	MC-PA5.08HXX-D	MC-PA5.08VXX-D	MC-PB5.08HXXC-K	
		MC-PA5.0HXX-G	MC-PA5.0VXX-G	MC-PA5.08HXX-G	MC-PA5.08VXX-G		
		MC-PC5.08VXXC-S	MC-PC5.08VXXC-T	MC-PA7.62HXX	MC-PA7.62VXX	MC-PB7.62HXXC	
		MC-PC5.08VXXC-SF	MC-PC5.08VXXC-TF	MC-PA7.62HXX-F	MC-PA7.62VXX-F	MC-PB7.62HXXC-F	

2.5mm间距 Pitch: 2.5mm

订货号 Order No.	
IEC额定电流/电压/接线面积 IEC Current/Voltage/Wire range	[A]/[V]/[mm <sup>2</sup> ]
UL额定电流/电压/接线面积 UL Current/Voltage/Wire range	[A]/[V]/[AWG]
剥线长度/焊针出脚长度/焊针尺寸 Strip length/Pin length/Pin header size	[mm]
锁线螺钉及标准扭矩/法兰螺钉及标准扭矩 Locking screw and torque/Flange screw and torque	[N·M]
通道数 Poles No.	



MC-RJ2.5H02P MC-RJ2.5H03P MC-RJ2.5H24P	● 绿色 Green
4/125/0.2-0.5	
4/125/28-16	
7-8/*/*	
*/*	
2-24	

2.5mm间距 Pitch: 2.5mm

订货号 Order No.	
IEC额定电流/电压/接线面积 IEC Current/Voltage/Wire range	[A]/[V]/[mm <sup>2</sup> ]
UL额定电流/电压/接线面积 UL Current/Voltage/Wire range	[A]/[V]/[AWG]
剥线长度/焊针出脚长度/焊针尺寸 Strip length/Pin length/Pin header size	[mm]
锁线螺钉及标准扭矩/法兰螺钉及标准扭矩 Locking screw and torque/Flange screw and torque	[N·M]
通道数 Poles No.	




MC-PA2.5V02 MC-PA2.5V03 MC-PA2.5V24	● 绿色 Green
4/125/0.2-0.5	
4/125/28-16	
*3.5/0.8X0.8	
*/*	
2-24	



MC-PA2.5H02 MC-PA2.5H03 MC-PA2.5H24	● 绿色 Green
4/125/0.2-0.5	
4/125/28-16	
*3.5/0.8X0.8	
*/*	
2-24	

2.5mm间距 Pitch: 2.5mm

订货号 Order No.	
IEC额定电流/电压/接线面积 IEC Current/Voltage/Wire range	[A]/[V]/[mm <sup>2</sup> ]
UL额定电流/电压/接线面积 UL Current/Voltage/Wire range	[A]/[V]/[AWG]
剥线长度/焊针出脚长度/焊针尺寸 Strip length/Pin length/Pin header size	[mm]
锁线螺钉及标准扭矩/法兰螺钉及标准扭矩 Locking screw and torque/Flange screw and torque	[N·M]
通道数 Poles No.	



MC-DPA2.5V04 MC-DPA2.5V06 MC-DPA2.5V48	● 绿色 Green
4/125/0.2-0.5	
4/125/28-16	
*3.5/0.8X0.8	
*/*	
4-48 (48个电位)	



MC-DPA2.5H04 MC-DPA2.5H06 MC-DPA2.5H48	● 绿色 Green
4/125/0.2-0.5	
4/125/28-16	
*3.5/0.8X0.8	
*/*	
4-48 (48个电位)	

2.5mm间距 Pitch: 2.5mm

订货号 Order No.	
IEC额定电流/电压/接线面积 IEC Current/Voltage/Wire range	[A]/[V]/[mm <sup>2</sup> ]
UL额定电流/电压/接线面积 UL Current/Voltage/Wire range	[A]/[V]/[AWG]
剥线长度/焊针出脚长度/焊针尺寸 Strip length/Pin length/Pin header size	[mm]
锁线螺钉及标准扭矩/法兰螺钉及标准扭矩 Locking screw and torque/Flange screw and torque	[N·M]
通道数 Poles No.	



3.5mm间距  
Pitch: 3.5mm

订货号 Order No.	
IEC额定电流/电压/接线面积 IEC Current/Voltage/Wire range	[A]/[V]/[mm <sup>2</sup> ]
UL额定电流/电压/接线面积 UL Current/Voltage/Wire range	[A]/[V]/[AWG]
剥线长度/焊针出脚长度/焊针尺寸 Strip length/Pin length/Pin header size	[mm]
锁线螺钉及标准扭矩/法兰螺钉及标准扭矩 Locking screw and torque/Flange screw and torque	[N·M]
通道数 Poles No.	



MC-DPAN3.5V04-BK-2600 ● 黑色 Black MC-DPAN3.5V06-BK-2600 ..... MC-DPAN3.5V48-BK-2600	8/160/0.2-1.5
	8/150/*
	* / 2.6 / 0.8X0.8
	* / *
	4-48



MC-DPAN3.5V04-F-BK-2600 ● 黑色 Black MC-DPAN3.5V06-F-BK-2600 ..... MC-DPAN3.5V48-F-BK-2600	8/160/0.2-1.5
	8/150/*
	* / 2.6 / 0.8X0.8
	* / M2.5 / 0.3
	4-48



MC-DPAN3.5V04-D-BK-2600 ● 黑色 Black MC-DPAN3.5V06-D-BK-2600 ..... MC-DPAN3.5V48-D-BK-2600	8/160/0.2-1.5
	8/150/*
	* / 2.6 / 0.8X0.8
	* / *
	4-48



MC-DPAN3.5H04-BK-2600 ● 黑色 Black MC-DPAN3.5H06-BK-2600 ..... MC-DPAN3.5H48-BK-2600	8/160/0.2-1.5
	8/150/*
	* / 2.6 / 0.8X0.8
	* / *
	4-48




MC-DPAN3.5H04-F-BK-2600 ● 黑色 Black MC-DPAN3.5H06-F-BK-2600 ..... MC-DPAN3.5H48-F-BK-2600	8/160/0.2-1.5
	8/150/*
	* / 2.6 / 0.8X0.8
	* / M2.5 / 0.3
	4-48




MC-DPAN3.5H04-D-BK-2600 ● 黑色 Black MC-DPAN3.5H06-D-BK-2600 ..... MC-DPAN3.5H48-D-BK-2600	8/160/0.2-1.5
	8/150/*
	* / 2.6 / 0.8X0.8
	* / *
	4-48

3.5mm间距  
Pitch: 3.5mm


订货号 Order No.	
IEC额定电流/电压/接线面积 IEC Current/Voltage/Wire range	[A]/[V]/[mm <sup>2</sup> ]
UL额定电流/电压/接线面积 UL Current/Voltage/Wire range	[A]/[V]/[AWG]
剥线长度/焊针出脚长度/焊针尺寸 Strip length/Pin length/Pin header size	[mm]
锁线螺钉及标准扭矩/法兰螺钉及标准扭矩 Locking screw and torque/Flange screw and torque	[N·M]
通道数 Poles No.	



MC-DPT3.5V06-BK-2000 ● 黑色 Black MC-DPT3.5V08-BK-2000 ..... MC-DPT3.5V36-BK-2000	8 / 160 / *
	8 / 150 / *
	* / 2.0 / 0.8x0.8
	* / *
	6-36(只有偶数位/Only even)



MC-DPT3.5V06-F-BK-2000 ● 黑色 Black MC-DPT3.5V08-F-BK-2000 ..... MC-DPT3.5V36-F-BK-2000	8 / 160 / *
	8 / 150 / *
	* / 2.0 / 0.8x0.8
	* / M2 / 0.2
	6-36(只有偶数位/Only even)



MC-DPT3.5V06-I-BK-2000 ● 黑色 Black MC-DPT3.5V08-I-BK-2000 ..... MC-DPT3.5V36-I-BK-2000	8 / 160 / *
	8 / 150 / *
	* / 2.0 / 0.8X0.8
	* / *
	6-36(只有偶数位/Onley even)



MC-DPT3.5H06-BK-2000 ● 黑色 Black MC-DPT3.5H08-BK-2000 ..... MC-DPT3.5H36-BK-2000	8 / 160 / *
	8 / 150 / *
	* / 2.0 / 0.8X0.8
	* / *
	6-36(只有偶数位/Onley even)



MC-DPT3.5H06-F-BK-2000 ● 黑色 Black MC-DPT3.5H08-F-BK-2000 ..... MC-DPT3.5H36-F-BK-2000	8 / 160 / *
	8 / 150 / *
	* / 2.0 / 0.8X0.8
	* / M2 / 0.2
	6-36(只有偶数位/Onley even)



MC-DPT3.5H06-I-BK-2000 ● 黑色 Black MC-DPT3.5H08-I-BK-2000 ..... MC-DPT3.5H36-I-BK-2000	8 / 160 / *
	8 / 150 / *
	* / 2.0 / 0.8X0.8
	* / *
	6-36(只有偶数位/Onley even)

3.81mm间距  
Pitch: 3.81mm


订货号 Order No.	
IEC额定电流/电压/接线面积 IEC Current/Voltage/Wire range	[A]/[V]/[mm <sup>2</sup> ]
UL额定电流/电压/接线面积 UL Current/Voltage/Wire range	[A]/[V]/[AWG]
剥线长度/焊针出脚长度/焊针尺寸 Strip length/Pin length/Pin header size	[mm]
锁线螺钉及标准扭矩/法兰螺钉及标准扭矩 Locking screw and torque/Flange screw and torque	[N·M]
通道数 Poles No.	




MC-RA3.81H02C ● 绿色 Green MC-RA3.81H03C ..... MC-RA3.81H24C	8 / 160 / 0.2-1.5
	8 / 300 / 30-14
	7-8 / * / *
	M2 / 0.2-0.25 / *
	2-24



MC-RA3.81H02C-K ● 绿色 Green MC-RA3.81H03C-K ..... MC-RA3.81H24C-K	8 / 160 / 0.2-1.5
	8 / 300 / 30-14
	7-8 / * / *
	M2 / 0.2-0.25 / M2.5 / 0.3
	2-24



MC-RA3.81H02C-I ● 绿色 Green MC-RA3.81H03C-I ..... MC-RA3.81H24C-I	8 / 160 / 0.2-1.5
	8 / 300 / 30-14
	7-8 / * / *
	M2 / 0.2-0.25 / *
	2-24



MC-RAF3.81H02C ● 绿色 Green MC-RAF3.81H03C ..... MC-RAF3.81H24C	8 / 160 / 0.2-1.5
	8 / 300 / 28-16
	8-9 / * / *
	M2 / 0.2-0.25 / *
	2-24



MC-RAF3.81H02C-K ● 绿色 Green MC-RAF3.81H03C-K ..... MC-RAF3.81H24C-K	8 / 160 / 0.2-1.5
	8 / 300 / 28-16
	8-9 / * / *
	M2 / 0.2-0.25 / M2.5 / 0.3
	2-24



MC-RAF3.81H02C-I ● 绿色 Green MC-RAF3.81H03C-I ..... MC-RAF3.81H24C-I	8 / 160 / 0.2-1.5
	8 / 300 / 28-16
	8-9 / * / *
	M2 / 0.2-0.25 / *
	2-24

3.81mm间距  
Pitch: 3.81mm

订货号 Order No.	
IEC额定电流/电压/接线面积 IEC Current/Voltage/Wire range	[A]/[V]/[mm <sup>2</sup> ]
UL额定电流/电压/接线面积 UL Current/Voltage/Wire range	[A]/[V]/[AWG]
剥线长度/焊针出脚长度/焊针尺寸 Strip length/Pin length/Pin header size	[mm]
锁线螺钉及标准扭矩/法兰螺钉及标准扭矩 Locking screw and torque/Flange screw and torque	[N·M]
通道数 Poles No.	



MC-RE3.81V02C ● 绿色 Green MC-RE3.81V02C ..... MC-RE3.81V20C	8 / 160 / 0.2-1.5
	8 / 300 / 30-14
	7-8 / * / *
	M2 / 0.2-0.25
	2-20



MC-RE3.81V02C-K ● 绿色 Green MC-RE3.81V03C-K ..... MC-RE3.81V20C-K	8 / 160 / 0.2-1.5
	8 / 300 / 30-14
	7-8 / * / *
	M2 / 0.2-0.25 / M2.5 / 0.3
	2-20



MC-RE3.81V02C-R ● 绿色 Green MC-RE3.81V02C-R ..... MC-RE3.81V02C-R	8 / 160 / 0.2-1.5
	8 / 300 / 30-14
	7-8 / * / *
	M2 / 0.2-0.25
	2-20



MC-RE3.81V02C-RK ● 绿色 Green MC-RE3.81V03C-RK ..... MC-RE3.81V20C-RK	8 / 160 / 0.2-1.5
	8 / 300 / 30-14
	7-8 / * / *
	M2 / 0.2-0.25 / M2.5 / 0.3
	2-20



MC-RR3.81H02D ● 绿色 Green MC-RR3.81H03D ..... MC-RR3.81H16D	6 / 200 / 0.2-0.5
	6 / 300 / 24-20
	7-8 / * / *
	* / *
	2-16



MC-RR3.81H02D-K ● 绿色 Green MC-RR3.81H03D-K ..... MC-RR3.81H16D-K	6 / 200 / 0.2-0.5
	6 / 300 / 24-20
	7-8 / * / *
	* / M2.5 / 0.3
	2-16



MC-RL3.81SH02N-PF-BK ● 黑色 Black	17.5/160/*
	10/300/*
	* / 1.6 / 1.0X1.0
	* / M2.5 / 0.3
	2


3.81mm间距 Pitch: 3.81mm									
订货号 Order No.	MC-RF3.81H02P MC-RF3.81H03P ..... MC-RF3.81H24P	● 绿色 Green	MC-RF3.81H02P-K MC-RF3.81H03P-K ..... MC-RF3.81H24P-K	● 绿色 Green	MC-RF3.81H02P-I MC-RF3.81H03P-I ..... MC-RF3.81H24P-I	● 绿色 Green	MC-RJ3.81H02P-K MC-RJ3.81H03P-K ..... MC-RJ3.81H24P-K	● 绿色 Green	MC-RJ3.81H02P-I MC-RJ3.81H03P-I ..... MC-RJ3.81H24P-I
IEC额定电流/电压/接线面积 IEC Current/Voltage/Wire range	[A]/[V]/[mm <sup>2</sup> ] 8/160/0.2-1.5		8/160/0.2-1.5		8/160/0.2-1.5		8/160/0.2-1.5		8/160/0.2-1.5
UL额定电流/电压/接线面积 UL Current/Voltage/Wire range	[A]/[V]/[AWG] 8/150/ 24-16		8/150/ 24-16		8/150/ 24-16		8/300/ 24-16		8/300/ 24-16
剥线长度/焊针出脚长度/焊针尺寸 Strip length/Pin length/Pin header size	[mm] 7-8 / * / *		7-8 / * / *		7-8 / * / *		7-8 / * / *		7-8 / * / *
锁线螺钉及标准扭矩/法兰螺钉及标准扭矩 Locking screw and torque/Flange screw and torque	[N·M] * / *		*/M2.5/0.3		* / *		* / *		* / *
通道数 Poles No.	2-24		2-24		2-24		2-24		2-24
3.81mm间距 Pitch: 3.81mm									
订货号 Order No.	MC-PA3.81V02 MC-PA3.81V03 ..... MC-PA3.81V24	● 绿色 Green	MC-PA3.81V02-F MC-PA3.81V03-F ..... MC-PA3.81V24-F	● 绿色 Green	MC-PA3.81H02 MC-PA3.81H03 ..... MC-PA3.81H24	● 绿色 Green	MC-PA3.81H02-I MC-PA3.81H03-I ..... MC-PA3.81H24-I	● 绿色 Green	
IEC额定电流/电压/接线面积 IEC Current/Voltage/Wire range	[A]/[V]/[mm <sup>2</sup> ] 8 / 160 / *		8 / 160 / *		8 / 160 / *		8 / 160 / *		
UL额定电流/电压/接线面积 UL Current/Voltage/Wire range	[A]/[V]/[AWG] 8 / 300 / *		8 / 300 / *		8 / 300 / *		8 / 300 / *		
剥线长度/焊针出脚长度/焊针尺寸 Strip length/Pin length/Pin header size	[mm] * / 3.5 / 0.8x0.8		* / 3.5 / 0.8x0.8		* / 3.5 / 0.8x0.8		* / 3.5 / 0.8x0.8		
锁线螺钉及标准扭矩/法兰螺钉及标准扭矩 Locking screw and torque/Flange screw and torque	[N·M] * / *		* / M2.5/0.3		* / *		* / *		
通道数 Poles No.	2-24		2-24		2-24		2-24		
3.81mm间距 Pitch: 3.81mm									
订货号 Order No.	MC-DPA3.81V04 MC-DPA3.81V06 ..... MC-DPA3.81V48	● 绿色 Green	MC-DPA3.81V04-F MC-DPA3.81V06-F ..... MC-DPA3.81V48-F	● 绿色 Green	MC-DPA3.81H04-F MC-DPA3.81H06-F ..... MC-DPA3.81H48-F	● 绿色 Green	MC-PB3.81H02C-F MC-PB3.81H03C-F ..... MC-PB3.81H20C-F	● 绿色 Green	
IEC额定电流/电压/接线面积 IEC Current/Voltage/Wire range	[A]/[V]/[mm <sup>2</sup> ] 8 / 160 / *		8 / 160 / *		8 / 160 / *		8 / 160 / 0.2-1.5		
UL额定电流/电压/接线面积 UL Current/Voltage/Wire range	[A]/[V]/[AWG] 8 / 300 / *		8 / 300 / *		8 / 300 / *		8 / 300 / 30-14		
剥线长度/焊针出脚长度/焊针尺寸 Strip length/Pin length/Pin header size	[mm] */3.5/0.8X0.8		*/3.5/0.8X0.8		*/3.5/0.8X0.8		7-8 / * / *		
锁线螺钉及标准扭矩/法兰螺钉及标准扭矩 Locking screw and torque/Flange screw and torque	[N·M] * / *		*/M2.5/0.3		* / *		M2/0.2-0.25 / *		
通道数 Poles No.	4-48 (48个电位)		4-48 (48个电位)		4-48 (48个电位)		2-20		
3.81mm间距 Pitch: 3.81mm									
订货号 Order No.	MC-DPAN3.81V04-BK-2600 MC-DPAN3.81V06-BK-2600 ..... MC-DPAN3.81V48-BK-2600	● 黑色 Black	MC-DPAN3.81V04-F-BK-2600 MC-DPAN3.81V06-F-BK-2600 ..... MC-DPAN3.81V48-F-BK-2600	● 黑色 Black	MC-DPAN3.81H04-D-BK-2600 MC-DPAN3.81H06-D-BK-2600 ..... MC-DPAN3.81H48-D-BK-2600	● 黑色 Black	MC-DPAN3.81H04-D-BK-2600 MC-DPAN3.81H06-D-BK-2600 ..... MC-DPAN3.81H48-D-BK-2600	● 黑色 Black	
IEC额定电流/电压/接线面积 IEC Current/Voltage/Wire range	[A]/[V]/[mm <sup>2</sup> ] 8/160/0.2-1.5		8/160/0.2-1.5		8/160/0.2-1.5		8/160/0.2-1.5		
UL额定电流/电压/接线面积 UL Current/Voltage/Wire range	[A]/[V]/[AWG] 8/150/ *		8/150/ *		8/150/ *		8/150/ *		
剥线长度/焊针出脚长度/焊针尺寸 Strip length/Pin length/Pin header size	[mm] */2.6/0.8X0.8		*/2.6/0.8X0.8		*/2.6/0.8X0.8		*/2.6/0.8X0.8		
锁线螺钉及标准扭矩/法兰螺钉及标准扭矩 Locking screw and torque/Flange screw and torque	[N·M] * / *		*/M2.5/0.3		* / *		*/M2.5/0.3		
通道数 Poles No.	4-48		4-48		4-48		4-48		

5.0mm间距  
Pitch: 5.0mm

订货号 Order No.	
IEC额定电流/电压/接线面积 IEC Current/Voltage/Wire range	[A]/[V]/[mm <sup>2</sup> ]
UL额定电流/电压/接线面积 UL Current/Voltage/Wire range	[A]/[V]/[AWG]
剥线长度/焊针出脚长度/焊针尺寸 Strip length/Pin length/Pin header size	[mm]
锁线螺钉及标准扭矩/法兰螺钉及标准扭矩 Locking screw and torque/Flange screw and torque	[N·M]
通道数 Poles No.	



MC-RB5.0H02C MC-RB5.0H03C ..... MC-RB5.0H20C	● 绿色 Green
12 / 320 / 0.2-2.5	
15 / 300 / 30-12	
7-8 / * / *	
M3 / 0.5-0.6 / *	
2-20	



MC-RB5.0H02C-K MC-RB5.0H03C-K ..... MC-RB5.0H20C-K	● 绿色 Green
12 / 320 / 0.2-2.5	
15 / 300 / 30-12	
7-8 / * / *	
M3 / 0.5-0.6 / M2.5 / 0.3-0.4	
2-20	



MC-RE5.0V02C MC-RE5.0V03C ..... MC-RE5.0V20C	● 绿色 Green
12 / 320 / 0.2-2.5	
15 / 300 / 30-12	
7-8 / * / *	
M3 / 0.5-0.6 / *	
2-20	



MC-RE5.0V02C-K MC-RE5.0V03C-K ..... MC-RE5.0V20C-K	● 绿色 Green
12 / 320 / 0.2-2.5	
15 / 300 / 30-12	
7-8 / * / *	
M3 / 0.5-0.6 / M2.5 / 0.3-0.4	
2-20	



MC-RE5.0V02C-R MC-RE5.0V03C-R ..... MC-RE5.0V20C-R	● 绿色 Green
12 / 320 / 0.2-2.5	
15 / 300 / 30-12	
7-8 / * / *	
M3 / 0.5-0.6 / *	
2-20	



MC-RE5.0V02C-RK MC-RE5.0V03C-RK ..... MC-RE5.0V20C-RK	● 绿色 Green
12 / 320 / 0.2-2.5	
15 / 300 / 30-12	
7-8 / * / *	
M3 / 0.5-0.6 / M2.5 / 0.3-0.4	
2-20	

5.0mm间距  
Pitch: 5.0mm


订货号 Order No.	
IEC额定电流/电压/接线面积 IEC Current/Voltage/Wire range	[A]/[V]/[mm <sup>2</sup> ]
UL额定电流/电压/接线面积 UL Current/Voltage/Wire range	[A]/[V]/[AWG]
剥线长度/焊针出脚长度/焊针尺寸 Strip length/Pin length/Pin header size	[mm]
锁线螺钉及标准扭矩/法兰螺钉及标准扭矩 Locking screw and torque/Flange screw and torque	[N·M]
通道数 Poles No.	



MC-RJ5.0H02P MC-RJ5.0H03P ..... MC-RJ5.0H24P	● 绿色 Green
12 / 320 / 0.2-2.5	
10 / 300 / 26-12	
7-8 / * / *	
*/ *	
2-16	




MC-RJ5.0H02P-K MC-RJ5.0H03P-K ..... MC-RJ5.0H24P-K	● 绿色 Green
12 / 320 / 0.2-2.5	
10 / 300 / 26-12	
7-8 / * / *	
*/ M2.5 / 0.3-0.4	
2-16	




MC-RJ5.0H02P-I MC-RJ5.0H03P-I ..... MC-RJ5.0H24P-I	● 绿色 Green
12 / 320 / 0.2-2.5	
10 / 300 / 26-12	
7-8 / * / *	
*/ *	
2-16	

5.0mm间距  
Pitch: 5.0mm


订货号 Order No.	
IEC额定电流/电压/接线面积 IEC Current/Voltage/Wire range	[A]/[V]/[mm <sup>2</sup> ]
UL额定电流/电压/接线面积 UL Current/Voltage/Wire range	[A]/[V]/[AWG]
剥线长度/焊针出脚长度/焊针尺寸 Strip length/Pin length/Pin header size	[mm]
锁线螺钉及标准扭矩/法兰螺钉及标准扭矩 Locking screw and torque/Flange screw and torque	[N·M]
通道数 Poles No.	



MC-PA5.0V02 MC-PA5.0V03 ..... MC-PA5.0V16	● 绿色 Green
12 / 320 / *	
15 / 300 / *	
*/3.5/10.*1.0	
*/ *	
2-16	



MC-PA5.0V02-F MC-PA5.0V03-F ..... MC-PA5.0V16-F	● 绿色 Green
12 / 320 / *	
15 / 300 / *	
*/3.5/10.*1.0	
*/M2.5/0.3	
2-16	



MC-PA5.0V02-G MC-PA5.0V03-G ..... MC-PA5.0V16-G	● 绿色 Green
12 / 320 / *	
15 / 300 / *	
*/3.5/10.*1.0	
*/ *	
2-16	

5.0mm间距  
Pitch: 5.0mm

订货号 Order No.	
IEC额定电流/电压/接线面积 IEC Current/Voltage/Wire range	[A]/[V]/[mm <sup>2</sup> ]
UL额定电流/电压/接线面积 UL Current/Voltage/Wire range	[A]/[V]/[AWG]
剥线长度/焊针出脚长度/焊针尺寸 Strip length/Pin length/Pin header size	[mm]
锁线螺钉及标准扭矩/法兰螺钉及标准扭矩 Locking screw and torque/Flange screw and torque	[N·M]
通道数 Poles No.	



MC-PA5.0H02 MC-PA5.0H03 ..... MC-PA5.0H16	● 绿色 Green
12 / 320 / *	
15 / 300 / *	
*/3.5/10.*1.0	
*/ *	
2-16	




MC-PA5.0H02-F MC-PA5.0H03-F ..... MC-PA5.0H16-F	● 绿色 Green
12 / 320 / *	
15 / 300 / *	
*/ 3.5 / 1.0x1.0	
*/ *	
2-20	




MC-PA5.0H02-G MC-PA5.0H03-G ..... MC-PA5.0H16-G	● 绿色 Green
12 / 320 / *	
15 / 300 / *	
*/ 3.5 / 1.0x1.0	
*/ *	
2-16	

5.08mm间距  
Pitch: 5.08mm



MC-RA5.08H02C  
MC-RA5.08H03C  
MC-RA5.08H12C

IEC额定电流/电压/接线面积  
IEC Current/Voltage/Wire range [A]/[V]/[mm<sup>2</sup>]  
UL额定电流/电压/接线面积  
UL Current/Voltage/Wire range [A]/[V]/[AWG]  
剥线长度/焊针出脚长度/焊针尺寸  
Strip length/Pin length/Pin header size [mm]  
锁线螺钉及标准扭矩/法兰螺钉及标准扭矩  
Locking screw and torque/Flange screw and torque [N·M]  
通道数 Poles No.



MC-RA5.08H02C-K  
MC-RA5.08H03C-K  
MC-RA5.08H12C-K

8 / 320 / 0.2-1.5  
8 / 300 / 30-14  
7-8 / \* / \*  
M2 / 0.2-0.25 / M2.5 / \*  
2-12



MC-RB5.08H02C  
MC-RB5.08H03C  
MC-RB5.08H24C

18/320/0.2-2.5  
15/300/28-12  
7-8/\*  
M3/0.5-0.6/\*  
2-24



MC-RB5.08H02C-K  
MC-RB5.08H02C-K  
MC-RB5.08H02C-K

18/320/0.2-2.5  
15/300/28-12  
7-8/\*  
M3/0.5-0.6/M2.5/0.3  
2-24



MC-RB5.08H02C-I  
MC-RB5.08H03C-I  
MC-RB5.08H24C-I

18/320/0.2-2.5  
15/300/28-12  
7-8/\*  
M3/0.5-0.6/\*  
2-20



MC-RH5.08H05C-B  
MC-RH5.08H06C-B  
MC-RH5.08H20C-B

12 / 320 / 0.2-2.5  
15 / 300 / 30-12  
7-8 / \* / \*  
M3 / 0.5-0.6 / \*  
5-20



MC-RH5.08H05C-T  
MC-RH5.08H06C-T  
MC-RH5.08H20C-T

12 / 320 / 0.2-2.5  
15 / 300 / 30-12  
7-8 / \* / \*  
M3 / 0.5-0.6 / \*  
5-20

5.08mm间距  
Pitch: 5.08mm



MC-PB5.08H02C-S  
MC-PB5.08H03C-S  
MC-PB5.08H24C-S

12/630/0.2-2.5  
10/300/28-12  
7-8/\*  
M3/0.5-0.6/\*  
2-24



MC-PB5.08H02C-SF  
MC-PB5.08H03C-SF  
MC-PB5.08H24C-SF

12/630/0.2-2.5  
10/300/28-12  
7-8/\*  
M3/0.5-0.6/M2.5/0.3  
2-24



MC-PB5.08H02C-SK  
MC-PB5.08H03C-SK  
MC-PB5.08H24C-SK

12/630/0.2-2.5  
10/300/28-12  
7-8/\*  
M3/0.5-0.6/M2.5/0.3  
2-24



MC-PB5.08H02C-SI  
MC-PB5.08H03C-SI  
MC-PB5.08H24C-SI

12/630/0.2-2.5  
10/300/28-12  
7-8/\*  
M3/0.5-0.6/\*  
2-24



MC-RBF5.08H02C  
MC-RBF5.08H02C  
MC-RBF5.08H02C

18/320/0.2-2.5  
15/300/28-12  
11-12/\*  
M2.5/0.4-0.5/\*  
2-24



MC-RBF5.08H02C-K  
MC-RBF5.08H03C-K  
MC-RBF5.08H24C-K


18/320/0.2-2.5  
15/300/28-12  
11-12/\*  
M2.5/0.4-0.5/M2.5/0.3  
2-24



MC-RBF5.08H02C-I  
MC-RBF5.08H03C-I  
MC-RBF5.08H24C-I


18/320/0.2-2.5  
15/300/28-12  
11-12/\*  
M2.5/0.4-0.5/\*  
2-24

5.08mm间距  
Pitch: 5.08mm




MC-RE5.08V02C  
MC-RE5.08V03C  
MC-RE5.08V20C

12 / 320 / 0.2-2.5  
15 / 300 / 30-12  
7-8 / \* / \*  
M3 / 0.5-0.6 / \*  
2-20




MC-RE5.08V02C-K  
MC-RE5.08V03C-K  
MC-RE5.08V20C-K

12 / 320 / 0.2-2.5  
15 / 300 / 30-12  
7-8 / \* / \*  
M3 / 0.5-0.6 / M2.5 / 0.3-0.4  
2-20




MC-RE5.08V02C-R  
MC-RE5.08V03C-R  
MC-RE5.08V20C-R

12 / 320 / 0.2-2.5  
15 / 300 / 30-12  
7-8 / \* / \*  
M3 / 0.5-0.6 / \*  
2-20



MC-RE5.08V02C-RK  
MC-RE5.08V03C-RK  
MC-RE5.08V20C-RK

12 / 320 / 0.2-2.5  
15 / 300 / 30-12  
7-8 / \* / \*  
M3 / 0.5-0.6 / M2.5 / 0.3-0.4  
2-20



MC-RN5.08V02P  
MC-RN5.08V03P  
MC-RN5.08V16P


12 / 320 / 0.2-2.5  
10 / 300 / 26-12  
7-8 / \* / \*  
\* / \*  
2-16



MC-RN5.08V02P-K  
MC-RN5.08V03P-K  
MC-RN5.08V16P-K


12 / 320 / 0.2-2.5  
10 / 300 / 26-12  
7-8 / \* / \*  
\* / M2.5 / 0.3-0.4  
2-16

5.08mm间距  
Pitch: 5.08mm



MC-RN5.08V02C-R  
MC-RN5.08V03C-R  
MC-RN5.08V16C-R

12/320/0.2-2.5  
15/300/26-12  
7-8 / \*  
\* / \*  
2-16



MC-RN5.08V02C-RK  
MC-RN5.08V03C-RK  
MC-RN5.08V16C-RK

12/320/0.2-2.5  
15/300/26-12  
7-8 / \*  
\* / M2.5 / 0.3  
2-16



MC-RJ5.08H02P  
MC-RJ5.08H03P  
MC-RJ5.08H24P

12 / 320 / 0.2-2.5  
10 / 300 / 26-12  
7-8 / \* / \*  
\* / \*  
2-24



MC-RJ5.08H02P-K  
MC-RJ5.08H03P-K  
MC-RJ5.08H24P-K

12 / 320 / 0.2-2.5  
10 / 300 / 26-12  
7-8 / \* / \*  
\* / M2.5 / 0.3-0.4  
2-24



MC-RJ5.08H02P-I  
MC-RJ5.08H03P-I  
MC-RJ5.08H24P-I

12 / 320 / 0.2-2.5  
10 / 300 / 26-12  
7-8 / \* / \*  
\* / \*  
2-24



MC-RJ5.08H02P-D  
MC-RJ5.08H03P-D  
MC-RJ5.08H24P-D


12 / 320 / 0.2-2.5  
10 / 300 / 26-12  
7-8 / \* / \*  
\* / \*  
2-24






7.62mm间距  
Pitch: 7.62mm

订货号 Order No.	
IEC额定电流/电压/接线面积 IEC Current/Voltage/Wire range	[A]/[V]/[mm <sup>2</sup> ]
UL额定电流/电压/接线面积 UL Current/Voltage/Wire range	[A]/[V]/[AWG]
剥线长度/焊针出脚长度/焊针尺寸 Strip length/Pin length/Pin header size	[mm]
锁线螺钉及标准扭矩/法兰螺钉及标准扭矩 Locking screw and torque/Flange screw and torque	[N·M]
通道数 Poles No.	




MC-RB7.62H02C MC-RB7.62H03C ..... MC-RB7.62H12C	● 绿色 Green
12/630/02-2.5	
15/300/30-12	
7-8/*/*	
M3/0.5/*	
2-12	



MC-RB7.62H02C-K MC-RB7.62H03C-K ..... MC-RB7.62H12C-K	● 绿色 Green
12/630/02-2.5	
15/300/30-12	
7-8/*/*	
M3/0.5/M2.5/0.3	
2-12	



MC-RE7.62H02C MC-RE7.62H03C ..... MC-RE7.62H12C	● 绿色 Green
12/630/02-2.5	
15/300/30-12	
7-8/*/*	
M3/0.5/*	
2-12	



MC-RE7.62H02C-K MC-RE7.62H03C-K ..... MC-RE7.62H12C-K	● 绿色 Green
12/630/02-2.5	
15/300/30-12	
7-8/*/*	
M3/0.5/M2.5/0.3	
2-12	




MC-RE7.62H02C-R MC-RE7.62H03C-R ..... MC-RE7.62H12C-R	● 绿色 Green
12/630/02-2.5	
15/300/30-12	
7-8/*/*	
M3/0.5/*	
2-12	




MC-RE7.62H02C-RK MC-RE7.62H03C-RK ..... MC-RE7.62H12C-RK	● 绿色 Green
12/630/02-2.5	
15/300/30-12	
7-8/*/*	
M3/0.5/M2.5/0.3	
2-12	

7.62mm间距  
Pitch: 7.62mm


订货号 Order No.	
IEC额定电流/电压/接线面积 IEC Current/Voltage/Wire range	[A]/[V]/[mm <sup>2</sup> ]
UL额定电流/电压/接线面积 UL Current/Voltage/Wire range	[A]/[V]/[AWG]
剥线长度/焊针出脚长度/焊针尺寸 Strip length/Pin length/Pin header size	[mm]
锁线螺钉及标准扭矩/法兰螺钉及标准扭矩 Locking screw and torque/Flange screw and torque	[N·M]
通道数 Poles No.	




MC-PA7.62V02 MC-PA7.62V03 ..... MC-PA7.62V12	● 绿色 Green
12/630/*	
15/300/*	
*/3.8/1.0X1.0	
*/*	
2-12	




MC-PA7.62V02-G MC-PA7.62V03-G ..... MC-PA7.62V12-G	● 绿色 Green
12/630/*	
15/300/*	
*/3.8/1.0X1.0	
*/*	
2-12	




MC-PA7.62V02-F MC-PA7.62V03-F ..... MC-PA7.62V12-F	● 绿色 Green
12/630/*	
15/300/*	
*/3.8/1.0X1.0	
*/M2.5/0.3	
2-12	



MC-PA7.62H02 MC-PA7.62H03 ..... MC-PA7.62H12	● 绿色 Green
12/630/*	
15/300/*	
*/3.8/1.0X1.0	
*/*	
2-12	




MC-PA7.62H02-G MC-PA7.62H03-G ..... MC-PA7.62H12-G	● 绿色 Green
12/630/*	
15/300/*	
*/3.8/1.0X1.0	
*/*	
2-12	



MC-PA7.62H02-F MC-PA7.62H03-F ..... MC-PA7.62H12-F	● 绿色 Green
12/630/*	
15/300/*	
*/3.8/1.0X1.0	
*/M2.5/0.3	
2-12	

7.62mm间距  
Pitch: 7.62mm

订货号 Order No.	
IEC额定电流/电压/接线面积 IEC Current/Voltage/Wire range	[A]/[V]/[mm <sup>2</sup> ]
UL额定电流/电压/接线面积 UL Current/Voltage/Wire range	[A]/[V]/[AWG]
剥线长度/焊针出脚长度/焊针尺寸 Strip length/Pin length/Pin header size	[mm]
锁线螺钉及标准扭矩/法兰螺钉及标准扭矩 Locking screw and torque/Flange screw and torque	[N·M]
通道数 Poles No.	



MC-PB7.62H02C MC-RB7.62H03C ..... MC-RB7.62H12C	● 绿色 Green
12 / 630 / 0.2-2.5	
15 / 300 / 30-12	
7-8 / * / *	
M3 / 0.5 / *	
2-12	



MC-RB7.62H02C-F MC-RB7.62H03C-F ..... MC-RB7.62H12C-F	● 绿色 Green
12 / 630 / 0.2-2.5	
15 / 300 / 30-12	
7-8 / * / *	
M3 / 0.5 / M2.5 / 0.3	
2-12	



MC-RE7.62V02C-K MC-RE7.62V03C-K ..... MC-RE7.62V12C-K	● 绿色 Green
12 / 630 / 0.2-2.5	
15 / 300 / 30-12	
7-8 / * / *	
M3/0.5/M2.5/0.3	
2-12	

5.0mm间距  
Pitch: 5.0mm



MC-TC5.0V01P-N-GY ● 灰色 Grey  
MC-TC5.0V02P-N-GY  
.....  
MC-TC5.0V12P-N-GY

订货号 Order No.	
IEC额定电流/电压/接线面积 IEC Current/Voltage/Wire range	[A]/[V]/[mm <sup>2</sup> ] 24 / 320 / 0.2-2.5
UL额定电流/电压/接线面积 UL Current/Voltage/Wire range	[A]/[V]/[AWG] 20 / 300 / 24-12
剥线长度/焊针出脚长度/焊针尺寸 Strip length/Pin length/Pin header size	[mm] 8-9 / 2.5 / 0.8X0.8
锁线螺钉及标准扭矩/法兰螺钉及标准扭矩 Locking screw and torque/Flange screw and torque	[N·M] * / *
通道数 Poles No.	1-12

5.08mm间距  
Pitch: 5.08mm




MC-TE5.08H02C ● 绿色 Green  
MC-TE5.08H03C  
.....  
MC-TE5.08H24C

订货号 Order No.	
IEC额定电流/电压/接线面积 IEC Current/Voltage/Wire range	[A]/[V]/[mm <sup>2</sup> ] 14/320/0.2-1.5
UL额定电流/电压/接线面积 UL Current/Voltage/Wire range	[A]/[V]/[AWG] 10/300/30-16
剥线长度/焊针出脚长度/焊针尺寸 Strip length/Pin length/Pin header size	[mm] 6-7/3.5/0.6X1.0
锁线螺钉及标准扭矩/法兰螺钉及标准扭矩 Locking screw and torque/Flange screw and torque	[N·M] M3/0.5/*
通道数 Poles No.	2-24



MC-TE5.08A02C ● 绿色 Green  
MC-TE5.08A03C  
.....  
MC-TE5.08A24C


订货号 Order No.	
IEC额定电流/电压/接线面积 IEC Current/Voltage/Wire range	[A]/[V]/[mm <sup>2</sup> ] 14/320/0.2-1.5
UL额定电流/电压/接线面积 UL Current/Voltage/Wire range	[A]/[V]/[AWG] 10/300/30-16
剥线长度/焊针出脚长度/焊针尺寸 Strip length/Pin length/Pin header size	[mm] 6-7/3.5/0.6X1.0
锁线螺钉及标准扭矩/法兰螺钉及标准扭矩 Locking screw and torque/Flange screw and torque	[N·M] M3/0.5/*
通道数 Poles No.	2-24



MC-DTE5.08H04C ● 绿色 Green  
MC-DTE5.08H06C  
.....  
MC-DTE5.08H48C

订货号 Order No.	
IEC额定电流/电压/接线面积 IEC Current/Voltage/Wire range	[A]/[V]/[mm <sup>2</sup> ] 14/320/0.2-1.5
UL额定电流/电压/接线面积 UL Current/Voltage/Wire range	[A]/[V]/[AWG] 10/300/30-16
剥线长度/焊针出脚长度/焊针尺寸 Strip length/Pin length/Pin header size	[mm] 6-7/3.5/0.6X1.0
锁线螺钉及标准扭矩/法兰螺钉及标准扭矩 Locking screw and torque/Flange screw and torque	[N·M] M3/0.5/*
通道数 Poles No.	4-48(48个电位)

5.08mm间距  
Pitch: 5.08mm



MC-TD5.08H02C ● 绿色 Green  
MC-TD5.08H03C  
.....  
MC-TD5.08H24C

订货号 Order No.	
IEC额定电流/电压/接线面积 IEC Current/Voltage/Wire range	[A]/[V]/[mm <sup>2</sup> ] 24/400/0.2-2.5
UL额定电流/电压/接线面积 UL Current/Voltage/Wire range	[A]/[V]/[AWG] 15/300/24-12
剥线长度/焊针出脚长度/焊针尺寸 Strip length/Pin length/Pin header size	[mm] 7-8/3.5/0.8X1.0
锁线螺钉及标准扭矩/法兰螺钉及标准扭矩 Locking screw and torque/Flange screw and torque	[N·M] M3/0.5/*
通道数 Poles No.	2-24



MC-TD5.08A02C ● 绿色 Green  
MC-TD5.08A03C  
.....  
MC-TD5.08A24C

订货号 Order No.	
IEC额定电流/电压/接线面积 IEC Current/Voltage/Wire range	[A]/[V]/[mm <sup>2</sup> ] 24/400/0.2-2.5
UL额定电流/电压/接线面积 UL Current/Voltage/Wire range	[A]/[V]/[AWG] 15/300/24-12
剥线长度/焊针出脚长度/焊针尺寸 Strip length/Pin length/Pin header size	[mm] 7-8/3.5/0.8X1.0
锁线螺钉及标准扭矩/法兰螺钉及标准扭矩 Locking screw and torque/Flange screw and torque	[N·M] M3/0.5/*
通道数 Poles No.	2-24



MC-DTD5.08H04C ● 绿色 Green  
MC-DTD5.08H06C  
.....  
MC-DTD5.08H48C

订货号 Order No.	
IEC额定电流/电压/接线面积 IEC Current/Voltage/Wire range	[A]/[V]/[mm <sup>2</sup> ] 24/400/0.2-2.5
UL额定电流/电压/接线面积 UL Current/Voltage/Wire range	[A]/[V]/[AWG] 15/300/24-12
剥线长度/焊针出脚长度/焊针尺寸 Strip length/Pin length/Pin header size	[mm] 7-8/3.5/0.8X1.0
锁线螺钉及标准扭矩/法兰螺钉及标准扭矩 Locking screw and torque/Flange screw and torque	[N·M] M3/0.5/*
通道数 Poles No.	4-48(48个电位)

5.08mm间距  
Pitch: 5.08mm



MC-TF5.08H02C ● 绿色 Green  
MC-TE5.08H03C  
.....  
MC-TE5.08H24C

订货号 Order No.	
IEC额定电流/电压/接线面积 IEC Current/Voltage/Wire range	[A]/[V]/[mm <sup>2</sup> ] 24/400/0.2-2.5
UL额定电流/电压/接线面积 UL Current/Voltage/Wire range	[A]/[V]/[AWG] 15/300/24-12
剥线长度/焊针出脚长度/焊针尺寸 Strip length/Pin length/Pin header size	[mm] 7-8/4.0/0.8X1.0
锁线螺钉及标准扭矩/法兰螺钉及标准扭矩 Locking screw and torque/Flange screw and torque	[N·M] M3/0.5/*
通道数 Poles No.	2-24



MC-TF5.08A02C ● 绿色 Green  
MC-TF5.08A03C  
.....  
MC-TF5.08A24C

订货号 Order No.	
IEC额定电流/电压/接线面积 IEC Current/Voltage/Wire range	[A]/[V]/[mm <sup>2</sup> ] 24/400/0.2-2.5
UL额定电流/电压/接线面积 UL Current/Voltage/Wire range	[A]/[V]/[AWG] 10/300/30-16
剥线长度/焊针出脚长度/焊针尺寸 Strip length/Pin length/Pin header size	[mm] 7-8/4.0/0.8X1.0
锁线螺钉及标准扭矩/法兰螺钉及标准扭矩 Locking screw and torque/Flange screw and torque	[N·M] M3/0.5/*
通道数 Poles No.	2-24



MC-TF5.08C02C ● 绿色 Green  
MC-TF5.08C03C  
.....  
MC-TF5.08C24C

订货号 Order No.	
IEC额定电流/电压/接线面积 IEC Current/Voltage/Wire range	[A]/[V]/[mm <sup>2</sup> ] 20/400/0.2-2.5
UL额定电流/电压/接线面积 UL Current/Voltage/Wire range	[A]/[V]/[AWG] 10/250/24-12
剥线长度/焊针出脚长度/焊针尺寸 Strip length/Pin length/Pin header size	[mm] 10-11/3.5/0.8X1.0
锁线螺钉及标准扭矩/法兰螺钉及标准扭矩 Locking screw and torque/Flange screw and torque	[N·M] M3/0.5/*
通道数 Poles No.	2-24



MC-DTF5.08H04C ● 绿色 Green  
MC-DTF5.08H06C  
.....  
MC-DTF5.08H48C

订货号 Order No.	
IEC额定电流/电压/接线面积 IEC Current/Voltage/Wire range	[A]/[V]/[mm <sup>2</sup> ] 20/400/0.2-2.5
UL额定电流/电压/接线面积 UL Current/Voltage/Wire range	[A]/[V]/[AWG] 10/300/24-12
剥线长度/焊针出脚长度/焊针尺寸 Strip length/Pin length/Pin header size	[mm] 7-8/4.0/0.8X1.0
锁线螺钉及标准扭矩/法兰螺钉及标准扭矩 Locking screw and torque/Flange screw and torque	[N·M] M3/0.5/*
通道数 Poles No.	4-48(48个电位)

